



# BUZZSAW 1C Carbide LRG

## Drilling Specifications

### Pin Position

<p>The Buzzsaw's 12:00 pin, relative to the CG, makes this ball driller friendly for right &amp; left-hand bowlers.</p>	<p>Turning the pin towards 3 O'clock, relative to the CG, will increase length.</p>	<p>Turning the pin towards 9 O'clock, relative to the CG, will decrease length.</p>	<p>Pin distance from axis</p>
---	---	---	-------------------------------

### Drilling Recommendations

<p><b>Label</b></p> <p><b>Length</b> 7      <b>Back-end</b> 8</p>	<p><b>Label</b></p> <p><b>Length</b> 2      <b>Back-end</b> 2</p>	<p><b>Max Leverage</b></p> <p><b>Length</b> 5      <b>Back-end</b> 10</p>	<p><b>CG Leverage</b></p> <p><b>Length</b> 4      <b>Back-end</b> 9</p>
<p><b>Thumb Leverage</b></p> <p><b>Length</b> 3      <b>Back-end</b> 9</p>	<p><b>CG Axis</b></p> <p><b>Length</b> 5      <b>Back-end</b> 5</p>	<p><b>Pin Axis</b></p> <p><b>Length</b> 10      <b>Back-end</b> 4</p>	<p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. Pos. side, finger, &amp; top wt., increase length and back-end.</li> <li>2. Neg. side, thumb, &amp; bottom, decrease length and back-end.</li> <li>3. Axis holes decrease flare and back-end reaction.</li> <li>4. Pin-in balls decrease length.</li> <li>5. Pin-out balls increase length and flip.</li> <li>6. If ending center of gravity is on your pin, CG or on the same rotational plane as those, reaction is enhanced.</li> </ol>